Prepared By: Anne Stehno Utah Fleet Operations 801-619-7242 annestehno@utah.gov

Prepared For: CLASS 0601

2013 Toyota Camry Hybrid 4dr Sdn (Natl)



2013 Toyota Camry Hybrid 4dr Sdn LE (Natl) (2559)

CLASS 0601

SEDAN MIDSIZE 4 DOOR HYBRID

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|---|
| VEHICLE INFORMATION | |
| Selected Model | 1 |
| Selected Vehicle Colors | 1 |
| Selected Options | 1 |
| STANDARD EQUIPMENT | |
| Mechanical | 2 |
| Exterior | 2 |
| Entertainment | 2 |
| Interior | 2 |
| Safety | 3 |
| Processing-other | 3 |
| TECHNICAL SPECIFICATIONS | |
| Vehicle | 4 |
| Powertrain | 4 |
| Dimensions | 5 |
| Chassis | 5 |
| WARRANTY INFORMATION | |
| Warranty Information | 7 |

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Vehicle Information

SELECTED MODEL

Code Description

2559 2013 Toyota Camry Hybrid 4dr Sdn LE (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

| Code | Description |
|------|--|
| FE | 50 STATE EMISSIONS |
| | STANDARD PAINT |
| FE11 | LIGHT GRAY, FABRIC SEAT TRIM |
| IZ | FRONT LICENSE PLATE BRACKET & FRONT ASHTRAY |
| CF | CARPETED FLOOR & TRUNK MAT SET, (PPO), *PRICE TO FOLLOW* |

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Standard Equipment

MECHANICAL

2.5L DOHC VVT-i 16-valve 4-cyl hybrid engine

Electronic controlled continuously variable transmission -inc: Eco & EV drive modes

Front wheel drive

Battery saver

Front independent MacPherson strut suspension

Rear independent dual-link suspension

Front/rear stabilizer bars

Electric pwr-assist rack & pinion steering

Pwr front ventilated/rear solid disc brakes -inc: integrated regenerative braking

EXTERIOR

16" x 6.5" steel wheels w/covers

P205/65R16 all-season tires

Temporary spare tire

Paint protection film

Side rocker panels w/chrome inserts

Lower back & rear doors garnish

Auto on/off projector beam halogen headlamps

Acoustic noise-reducing windshield

High solar energy-absorbing (HSEA) glass

Color-keyed manual folding pwr mirrors

Variable intermittent wipers

ENTERTAINMENT

Display AM/FM stereo w/CD player -inc: MP3/WMA capability, 6.1" touch screen w/vehicle info, aux audio jack, USB input w/iPod connectivity & control, (6) speakers

Bluetooth hands-free phone system w/phone book access & music streaming

INTERIOR

Fabric seat trim

Dual front bucket seats -inc: 6-way manual driver seat, 4-way manual passenger seat

60/40 split fold-down rear seat -inc: center headrest

Covered center console w/storage

Front cup holders

Fold-down rear center armrest w/dual cup holders

Door sill scuff plate

Tilt/telescoping steering wheel w/audio controls

Multi-information Optitron instrumentation -inc: maintenance indicator

Pwr windows -inc: driver auto up/down Pwr door locks w/anti-lockout feature

Cruise control

Remote trunk release

Engine immobilizer

Remote keyless entry system -inc: panic button

Smart key system w/push-button start

Dual-zone auto climate control -inc: electric compressor, air filter

Electric rear window defrost w/timer Fabric door trim -inc: integrated armrests



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Metallic-tech grained interior trim

(6) door bottle holders

Overhead console -inc: maplights, sunglass holder

Illuminated entry

Lockable illuminated glove box

Driver & front passenger seatback pockets

12V aux pwr outlet

Dual visor vanity mirrors w/sliding extensions

SAFETY

4-wheel anti-lock brake system -inc: electronic brake-force distribution, brake assist

Smart stop technology

Vehicle stability control

Traction control system

Side-impact door beams

Daytime running lights w/off mode

Driver & front passenger advanced airbags -inc: occupant sensor

Front/rear seat-mounted side airbags

Front/rear side curtain airbags

Driver & front passenger knee airbags

3-point ELR seatbelts for all seating positions -inc: ALR for all passenger seatbelts, front adjustable shoulder belt anchors

Child-protector rear door locks

Internal trunk-release handle

Lower anchors & tether for children (LATCH) *For outboard rear seating positions only*

Direct tire pressure monitoring system

Energy-absorbing collapsible steering column

Whiplash-lessening front seats

PROCESSING-OTHER

** PRELIMINARY STANDARD EQUIPMENT **

All specifications are subject to change without notice.



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Technical Specifications

| Emissions | | | |
|------------|--|-----------------------------|--|
| | Tons/yr of CO2 Emissions @ 15K mi/year | 4.5 (2012) | |
| | EPA Greenhouse Gas Score | 9 (2012) | |
| Vehicle | | | |
| | EPA Classification | Midsize | |
| POWERTR | AIN | | |
| Transmiss | ion | | |
| | Drivetrain | Front Wheel Drive | |
| | Trans Order Code | | |
| | Trans Type | 1 | |
| | Trans Description Cont. | Continuously Variable Ratio | |
| | Trans Description Cont. Again | | |
| | First Gear Ratio (:1) | N/A | |
| | Reverse Ratio (:1) | N/A | |
| | Clutch Size | | |
| | Final Drive Axle Ratio (:1) | N/A | |
| Mileage | | | |
| | EPA Fuel Economy Est - Hwy | 39 (2012) MPG | |
| | Cruising Range - City | 731.00 mi | |
| | EPA Fuel Economy Est - City | 43 (2012) MPG | |
| | Fuel Economy Est-Combined | 41 (2012) MPG | |
| | Cruising Range - Hwy | 663.00 mi | |
| | EPA MPG Equivalent - City | N/A | |
| | EPA MPG Equivalent - Hwy | N/A | |
| | EPA MPG Equivalent - Combined | N/A | |
| | Battery Range | N/A mi | |
| Engine | | | |
| | Engine Order Code | | |
| | Engine Type | Gas/Electric I4 | |
| | Displacement | 2.5L/152 | |
| | Fuel System | Electronic Fuel Injection | |
| | SAE Net Horsepower @ RPM | 200 Combined | |
| | SAE Net Torque @ RPM | N/A | |
| Electrical | | | |
| | Cold Cranking Amps @ 0° F (Primary) | N/A | |
| | Maximum Alternator Capacity (amps) | | |
| Cooling Sy | rstem | | |



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

| DIMENSION | NS | | |
|--------------|---|-----------------------|--|
| Interior Din | nensions | | |
| | Passenger Capacity | 5 | |
| | Passenger Volume | 102.7 ft ³ | |
| | Front Head Room | 38.8 in | |
| | Front Leg Room | 41.6 in | |
| | Front Shoulder Room | 58.0 in | |
| | Front Hip Room | 54.5 in | |
| | Second Head Room | 38.1 in | |
| | Second Leg Room | 38.9 in | |
| | Second Shoulder Room | 56.6 in | |
| | Second Hip Room | 54.5 in | |
| Exterior Dir | · | | |
| | Wheelbase | 109.3 in | |
| | Length, Overall | 189.2 in | |
| | Width, Max w/o mirrors | 71.7 in | |
| | Height, Overall | 57.9 in | |
| | Track Width, Front | 62.4 in | |
| | Track Width, Rear | 62.0 in | |
| | Min Ground Clearance | 6.1 in | |
| | Liftover Height | N/A in | |
| Cargo Area | Dimensions | | |
| | Trunk Volume | 13.1 ft³ | |
| CHASSIS | | | |
| Weight Info | ormation | | |
| Troignt nine | Base Curb Weight | 3417 lbs | |
| Trailering | 2000 Can 2 | 3 | |
| | Dead Weight Hitch - Max Trailer Wt. | | |
| | Dead Weight Hitch - Max Tongue Wt. | | |
| | Wt Distributing Hitch - Max Trailer Wt. | | |
| | Wt Distributing Hitch - Max Tongue Wt. | | |
| Suspension | n | | |
| | Suspension Type - Front | MacPherson Strut | |
| | Suspension Type - Rear | Dual-Link | |
| | Suspension Type - Front (Cont.) | w/Coil Springs | |
| | Suspension Type - Rear (Cont.) | w/Coil Springs | |
| | Shock Absorber Diameter - Front | | |
| | Shock Absorber Diameter - Rear | | |
| | Stabilizer Bar Diameter - Front | N/A in | |
| | Stabilizer Bar Diameter - Rear | N/A in | |
| | | | |



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

| Tires | | | |
|-----------|------------------------------------|------------------------|--|
| | Front Tire Order Code | | |
| | Rear Tire Order Code | | |
| | Spare Tire Order Code | | |
| | Front Tire Size | P205/65R16 | |
| | Rear Tire Size | P205/65R16 | |
| | Spare Tire Size | Compact | |
| Wheels | | | |
| | Front Wheel Size | 16 x 6.5 in | |
| | Rear Wheel Size | 16 x 6.5 in | |
| | Spare Wheel Size | Compact in | |
| | Front Wheel Material | Steel | |
| | Rear Wheel Material | Steel | |
| | Spare Wheel Material | Steel | |
| Steering | | | |
| | Steering Type | Electric Rack & Pinion | |
| | Steering Ratio (:1), Overall | N/A | |
| | Lock to Lock Turns (Steering) | N/A | |
| | Turning Diameter - Curb to Curb | 36.7 ft | |
| | Turning Diameter - Wall to Wall | N/A ft | |
| Brakes | | | |
| | Brake Type | Pwr | |
| | Brake ABS System | 4-Wheel | |
| | Brake ABS System (Second Line) | N/A | |
| | Disc - Front (Yes or) | Yes | |
| | Disc - Rear (Yes or) | Yes | |
| | Front Brake Rotor Diam x Thickness | 11.7 x -TBD- in | |
| | Rear Brake Rotor Diam x Thickness | 11.1 x -TBD- in | |
| | Drum - Rear (Yes or) | | |
| | Rear Drum Diam x Width | | |
| Fuel Tank | | | |
| | Fuel Tank Capacity, Approx | 17.0 gal | |
| | Aux Fuel Tank Capacity, Approx | N/A gal | |

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Warranty Information

| Basic: | |
|---------------------------|-------|
| 3 Years/36,000 Miles | |
| Drivetrain: | |
| 5 Years/60,000 Miles | |
| Corrosion: | |
| 5 Years/Unlimited Mile | es es |
| Hybrid/Electric Component | rs: |
| 8 Years/100,000 Mile: | 5 |
| Roadside Assistance: | |
| 2 Years/25,000 Miles | |
| 24/7 Roadside Assista | ance |
| Maintenance: | |
| 2 Years/25,000 Miles | |



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.